



Sliver Kettle Type Li Ion E Bike Battery 10Ah - 20Ah 36V Lithium Battery Pack

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: ENOOK
- Model Number: Sliver Kettle-36V
- Minimum Order Quantity: 5
- Price: USD100-200USD/PC
- Packaging Details: packed in professional carton
- Delivery Time: 10-15 working days
- Payment Terms: T/T
- Supply Ability: 5000PCS/Month



Product Specification

- Type: Li-Ion
- Nominal Voltage: 36V
- Charge Current: 0.5c
- Application: Electric Vehicles
- Cycle Life: 1000times
- Highlight: Li Ion E Bike Battery 10Ah, E Bike Battery 20Ah, 36V Lithium Battery Pack



More Images



for more products please visit us on enookbattery.com

Product Description

Sliver Kettle Type 36V 10Ah-20Ah Lithium Battery Pack For Electric Bicycles Scooters

Product Description

We are a lithium battery manufacturer, so we can provide you with customized services; The capacity and dimension can customize according to your request:

1.Customized battery size and shell material

2.Customized BMS charging and discharging current

3.Customized connect plug and socket, connector wire

Battery Name	silver fish ebike battery lithium battery pack		
Nominal voltage	36V		
Nominal capacity	20Ah Can be customized		
Standard discharge current	0.2C		
Max discharge current	1C		
Standard charge current	0.2C		
Fast charge current	0.5C		
Over discharge cut off voltage/series	2.4 ± 0.06V		
Over charge protection voltage/series	4.25± 0.03V		
Discharge working temperature	-20-60°C		
Charge working temperature	0-45°C		
Recommended storage temperature	23 ± 5°C		
Weight	about 4.2Kg		
NO. 序号	Item项目	Specifications规格要求	
4.1	Nominal capacity 标称容量	10Ah	0.5C Discharge (0.5C放电)
	Min capacity 最小容量	10Ah	0.5C Discharge (0.5C放电)
4.2	Nominal voltage 标称电压	36V	
4.3	Charge current 充电电流	Standard Charge (标准充电电流): 0.5C	
4.4	Standard Charging method 标准充电方法	0.5C CC (constant current) charge to 42V, then CV (constant voltage 42V) charge till charge current decline to ≤0.03C 0.5C CC (恒流) 充电至 42V, 再 CV (恒压 42V) 充电直至充电电流 ≤0.03C	
4.5	Charging time 充电时间	Standard Charging (标准充电) Approx 2 hours 大约 2 小时	
4.6	Max. discharge current 最大放电电流	Constant current 1C end voltage: 8V (持续电流: 1C 截止电压: 8V)	
4.7	Standard Discharge Current 标准放电电流	Constant current 0.5 C end voltage 8V (持续电流: 0.5C 截止电压: 8V)	
4.8	Discharge cut-off voltage 放电截止电压	27.5V	
4.9	Charge cut-off Voltage 充电截止电压	42V	
4.10	Initial Impedance 初始内阻	≤25mΩ	
4.11	Weight 重量	Approx (约): 3000g	
4.12	Operating temperature 工作温度	Charging (充电): 0℃~45℃ Discharging (放电): -20℃~60℃	
4.13	Storage temperature 储存温度	10℃~30℃	
4.14	Storage Humidity 储存湿度	≤70% RH	
4.15	Appearance 外观	Without scratch, distortion, contamination and leakage (无划痕、变形、污迹、电解液泄露)	
4.16	Standard environmental condition 标准环境	Temperature (温度): 23±5℃ Humidity (湿度): 45-70%RH Atmospheric Pressure (大气压): 86-106pa	



Application

Our products have a very widely range of use

A

The battery pack can be used in electronic vehicles, tricycles, ebike, solar energy storage system, camper, cans, electronic boat, marine ship etc.,



E-Scooter



Balance E-scooter



E-Bike



E-Motorcycle



Golf Cart



RC Drone



Solar Street Light



SolarWind Energy



Mobile Headlight



Waterpump



Power Tools



Stereo Set

B

We use high quality cells, such as 18650 21700 batteries, we use different cells for different applications

C

We have been in lithium battery pack for more than 10 years and know how to provide you the right solution for you. Just let us know your detail application and request then we will choose the best solution for you.

Company Introduction

Company Introduction


ShenZhen Enook Technology Co., Ltd company is professional manufacturer and supplier of lithium energy solutions, E-bike battery pack, which focus on manufacturing and designing of lithium cells and battery packs



Quality first is our principle, Satisfying all our customers is our tenet, win-win business is our aim. Dedicated to strict quality control and thoughtful customer service, our experienced staff members are always available to discuss each detailed requirements from customer and ensure full customer satisfaction.



In addition, we have obtained certificates. MSDS UN38.3 MSDS, ROHS, UL, etc. All our products keep selling well not only around China, but also in USA, Philippines, Germany, England, Australia, Russia, France and other European and Asia countries.



Fast delivery is one of our advantage, selecting a current products from catalogue, or customized products, 3~5 days is the normal time to prepare for the goods, OEM & ODM orders can be acceptable.

Quality is our life, price is our core competence, please don't hesitate to contact us if you have any requirement, we'll provide our best service to you.

Has passed CE certification and ROHS certification, excellent quality the company has obtained a number of patented technologies.



Changsha Enook Technology Co., Ltd



+8617752866093



wendy@enooktech.com



enookbattery.com

ROOM 1717,JIEZUO BUILDING, NO. 828, SECTION 1, FURONG SOUTH ROAD, TIANXIN DISTRICT,
CHANGSHA, HUNAN