



Enook high discharge rate 18650 globe battery enook 18650 2600mAh 40A 18650 lithium ion battery

Our Product Introduction

for more products please visit us on enookbattery.com

Basic Information

- Place of Origin: China
- Brand Name: enook
- Certification: UN38,3/CNAS/KC
- Model Number: 18650
- Minimum Order Quantity: 2000
- Payment Terms: T/T, Western Union



Product Specification

- Weight: 48g
- Voltage: 3.7V
- Capacity: 2600mAh
- Size: 18.2*65.01mm
- Type: Flat Top
- Discharging Current: 40A
- Full Charge Voltage: 4.2V
- Charging Temperature: 0°C~50°C
- Discharging Temperature: -20°C~75°C
- Warranty: 1years



More Images



Product Description

Product Description:

18650 Battery

18650 Battery is a popular cylindrical rechargeable lithium ion battery with a size of 18.2mm*65.01mm and a weight of 48g. It can providing excellent protection against overcharge, overdischarge and short circuit. This battery has a nominal voltage of 3.7V and a high capacity of 2600mAh, which can provide a longer lasting power supply to a variety of devices.

The 18650 Battery is ideal for applications that require a reliable and long-lasting power source. It has a high capacity of 2600mAh . With its high energy density, it can provide more power than other similar batteries. Additionally, its high temperature resistance and long service life make it a great choice for applications in a variety of harsh environments.

The 18650 Battery is an excellent choice for those looking for a reliable and powerful power source. With its high capacity, long service life, and excellent protection, it is an ideal choice for many applications. Whether you need a long-lasting power source for your electronics or a reliable power source for your vehicle, the 18650 Battery is the perfect solution.





Features:

Product Name: **18650 Battery**

Voltage: **3.7V**

Type: **18650 Battery**

Capacity: **2600mAh**

Material: **Li-ion**

Special Feature: **Factory Price**

Technical Parameters:

Property	Details
Max Discharge Current	10A
Capacity	2600mAh
Operating Temperature	-20 ~60
Type	18650 Battery
Size	18.1mm X 65.2mm
Max Charge Current	2A
Material	Li-ion
Certification	CE.Rosh
Protection	Overcharge, Overdischarge, Short Circuit
Weight	48g
Factory Price	Yes
Rechargeable	Yes
Capacity	2600mAh
Long Lasting	Yes

Support and Services:

18650 Battery Technical Support and Service

We offer comprehensive technical support and service for our 18650 Batteries. Our team of knowledgeable professionals are available to answer your questions and provide you with the technical information you need. From installation and troubleshooting to product performance and maintenance, we are here to help.

Company Introduction

Company Introduction

ShenZhen Enook Technology Co., Ltd company is professional manufacturer and supplier of lithium energy solutions, E-bike battery pack, which focus on manufacturing and designing of lithium cells and battery packs



Quality first is our principle, Satisfying all our customers is our tenet, win-win business is our aim. Dedicated to strict quality control and thoughtful customer service, our experienced staff members are always available to discuss each detailed requirements from customer and ensure full customer satisfaction.



In addition, we have obtained certificates. MSDS UN38.3 MSDS, ROHS, UL, etc. All our products keep selling well not only around China, but also in USA, Philippines, Germany, England, Australia, Russia, France and other European and Asia countries





Fast delivery is one of our advantage,selecting a current products from catalogue,or customized products,3~5days is the normal time to prepare for the goods,OEM & ODM orders can be acceptable.

Quality is our life, price is our core competence, please don't hesitate to contact us if you have any requirement, we'll provide our best service to you.

Has passed CE certification and ROHS certification, excellent quality the company has obtained a number of patented technologies.

CERTIFICATES



OUR CERTIFICATES GIVE YOU RELIABLE SUPPORT FOR YOUR ORDERS



Packing and Shipping:

Packaging and Shipping

18650 batteries must be packaged with extreme care. Each battery must be individually wrapped in an insulated material designed to prevent shorts. The entire package must be placed in a static-resistant bag or box before being shipped. Batteries must never be shipped in bulk or loose without proper packaging.

Batteries should always be shipped via a tracked courier such as FedEx or UPS. The courier should be notified of the battery shipment and the package must be labeled as containing hazardous materials. The package should also be marked with the proper shipping class, such as Class 8, for lithium batteries.

PACKAGING

PACKAGING




Shipping by



Professional suggestion to choose the best shipping delivery (Such as EMS DHL TNT UPS and FEDEX) for your commodities according to your demand.

FAQ:





Q1:When are you available?

A1: 24 hours online every day, messages will be replied once received.



Q2:What's your main products?

A2:Lithium battery,Lipo battery,LiFePO4 battery, battery packs,etc.For cylinder battery.



Q3:How is the quality of the products?

A3: 1.Always provide the premium authentic products, never fake.
2.Only provide A Grade cells



Q4: Do you provide the OEM&ODM service?

A4: Yes, we are experienced factory can provide OEM & ODM services.



Q5: How do we place an order?

A5: Step1. Contact us
Step2. Confirm products you need, the price and other details
Step3: We make PI(Proforma Invoice) for you to make payment
Step4: Payment finished
Step5: Payment checking by our accountant
Step5: Products packed and shipped (tracking number will be provided once shipped out)
Step6: Customer get the products and feedback



Q6: What's the lead time?

A6: 1. Sample orders: 1-3 working days
2. Bulk orders: 3-7 working days according to different quantities
3. OEM: 7-12 working days on receipt of sample confirmation



Changsha Enook Technology Co., Ltd



+8617752866093



wendy@enooktech.com



enookbattery.com

ROOM 1717,JIEZUO BUILDING, NO. 828, SECTION 1, FURONG SOUTH ROAD, TIANXIN DISTRICT,
CHANGSHA, HUNAN