



Wholesale High performance cell 3.7v I MoliceI 3.7v 2600mah 18650 P26A Rechargeable Battery for Consumer Electronics

Our Product Introduction

for more products please visit us on enookbattery.com

Basic Information

- Brand Name: MoliceI
- Certification: UN38.3/CNAS/KC
- Model Number: 18650
- Minimum Order Quantity: 2000
- Price: US(2.8~3)
- Payment Terms: T/T, Western Union

Original MoliceI P26A



Product Specification

- Storage Temperature: -20 ~45
- Weight: 50g
- Voltage: 3.7V
- Capacity: 2600mAh
- Size: 18*65mm
- Type: Flat Top
- Internal Resistance: $\leq 100\text{m}\Omega$ (with PTC)

Original MoliceI P26A



More Images



Product Description

Product Description:

Capacity

Typical 2600 mAh 9.5 Wh

Cell Voltage Nominal 3.6 V

Charge 4.2 V Discharge 2.5 V

Charge Current

Standard 2.6 A Maximum 6.0 A

Charge Time Standard 1.5 hr

Discharge Current Maximum 35 A

Internal

Resistance

AC (1 KHz)

20 m(Max)

Ambient

Temperature

Charge 0°C to 60°C

Discharge -40°C to 60°C

Energy Density

Volumetric 535 Wh/l

Gravimetric 190 Wh/kg

Original MoliceL P26A



Technical Parameters:

Property	Details
Max Discharge Current	10A

Property	Details
Capacity	2600mAh
Operating Temperature	-20 ~60
Type	18650 Battery
Size	18mm X 65mm
Max Charge Current	2A
Material	Li-ion
Certification	CE.Rosh
Protection	Overcharge, Overdischarge, Short Circuit
Weight	48g
Factory Price	Yes
Rechargeable	Yes
Long Lasting	Yes

Support and Services:

18650 Battery. Technical Support and Service -----

We offer comprehensive technical support and service for our 18650 Batteries. Our team of knowledgeable professionals are available to answer your questions and provide you with the technical information you need. From installation and troubleshooting to product performance and maintenance, we are here to help.

Company Introduction

Company Introduction

ShenZhen Enook Technology Co., Ltd company is professional manufacturer and supplier of lithium energy solutions, E-bike battery pack, which focus on manufacturing and designing of lithium cells and battery packs



0000

000000

0001

0002

0003

0004

0005

0006

0007

0008

0009

0010

0011

0012

0013

0014

0015

0016

0017

0018

0019

0020

0021

0022

0023

0024

0025

0026

0027

0028

0029

0030

0031

0032

0033

0034

0035

0036

0037

0038

0039

0040

0041

0042

0043

0044

0045

0046

0047

0048

0049

0050

0051

0052

0053

0054

0055

0056

0057

0058

0059

0060

0061

0062

0063

0064

0065

0066

0067

0068

0069

0070

0071

0072

0073

0074

0075

0076

0077

0078

0079

0080

0081

0082

0083

0084

0085

0086

0087

0088

0089

0090

0091

0092

0093

0094

0095

0096

0097


0098

0099

Quality first is our principle, Satisfying all our customers is our tenet, win-win business is our aim. Dedicated to strict quality control and thoughtful customer service, our experienced staff members are always available to discuss each detailed requirements from customer and ensure full customer satisfaction.



In addition, we have obtained certificates. MSDS UN38.3 MSDS, ROHS, UL, etc. All our products keep selling well not only around China, but also in USA, Philippines, Germany, England, Australia, Russia, France and other European and Asia countries.



Fast delivery is one of our advantages, selecting a current product from catalogue, or customized products, 3~5 days is the normal time to prepare for the goods, OEM & ODM orders can be acceptable.

Quality is our life, price is our core competence, please don't hesitate to contact us if you have any requirement, we'll provide our best service to you.

Has passed CE certification and ROHS certification, excellent quality the company has obtained a number of patented technologies.

CERTIFICATES

**OUR CERTIFICATES GIVE YOU RELIABLE
SUPPORT FOR YOUR ORDERS**



Packing and Shipping:

Packaging and Shipping

18650 batteries must be packaged with extreme care. Each battery must be individually wrapped in an insulated material designed to prevent shorts. The entire package must be placed in a static-resistant bag or box before being shipped. Batteries must never be shipped in bulk or loose without proper packaging.

Batteries should always be shipped via a tracked courier such as FedEx or UPS. The courier should be notified of the battery shipment and the package must be labeled as containing hazardous materials. The package should also be marked with the proper shipping class, such as Class 8, for lithium batteries.

PACKAGING

PACKAGING



Shipping by



Professional suggestion to choose the best shipping delivery (Such as EMS DHL TNT UPS and FEDEX) for your commodities according to your demand.

FAQ:

FAQ



Q1: When are you available?

A1: 24 hours online every day, messages will be replied once received.



Q2: What's your main products?



Q2:What's your main products?

A2:Lithium battery,Lipo battery,LiFePO4 battery,
battery packs,etc.For cylinder battery.



Q3:How is the quality of the products?

A3: 1.Always provide the premium authentic
products, never fake.
2.Only provide A Grade cells



Q4: Do you provide the OEM&ODM service?

A4: Yes, we are experienced factory can provide
OEM & ODM services.



Q5: How do we place an order?

A5: Step1. Contact us
Step2. Confirm products you need, the price and other
details
Step3: We make PI(Proforma Invoice) for you to make
payment
Step4: Payment finished
Step5: Payment checking by our accountant
Step5: Products packed and shipped (tracking number
will be provided once shipped out)
Step6: Customer get the products and feedback



Q6: What's the lead time?

A6: 1. Sample orders: 1-3 working days
2. Bulk orders: 3-7 working days according to different
quantities
3. OEM: 7-12 working days on receipt of sample
confirmation

Kelly

ENOOK[®]

Skype: kelly.enook08

Email: kelly@enooktech.com

Website: www.enooktech.com



Changsha Enook Technology Co., Ltd



+8617752866093



wendy@enooktech.com



enookbattery.com

ROOM 1717,JIEZUO BUILDING, NO. 828, SECTION 1, FURONG SOUTH ROAD, TIANXIN DISTRICT,
CHANGSHA, HUNAN