samsung

2000

## ICR18650 2200 mAh samsung-26F 3.7V Rechargeable Lithium Ion Battery With High Discharge Rate

### **Basic Information**

- Brand Name:
- Certification: UN38,3/CNAS/KC
- Model Number: 18650
- Minimum Order Quantity:
- Payment Terms: T/T, Western Union



#### **Product Specification**

| Weight:                         | 50g        |
|---------------------------------|------------|
| • Size:                         | 18.*65mm   |
| • Type:                         | Flat Top   |
| Warranty:                       | 1years     |
| Voltage:                        | 3.7v~ 4.2v |
| Charging Termperature           | : 0°C~50°C |
| <ul> <li>Discharging</li> </ul> | -20°C~75°C |

Discharging -20°C~75° Temperature:



## More Images







oktech.com 🧹 C 🤇 RoHs 😋 🕱



**Our Product Introduction** 

# ICR18650 2200 mAh 26F 3.7V Rechargeable Lithium Ion Battery With High Discharge Rate

#### **Product Description:**

#### 

- 2. Weight: 50g
- 3. Capacity: 2600mAh
- 4. Voltage: 3.7V
- 5. Excellent high-current discharge performance
- 6. Length:65.06mm
- 7. Diameter:18.27mm
- 8. Model: 18650
- 9. Material: Li-ion
   10. Charging times: Over 500 times
- 11. Application: torch, laser pointer, camera and etc.
- -Do not over-discharge/overcharge

-Recharge empty batteries ( resting voltage~3.6V ) as soon as possible. Leaving Li-Ion batteries in discharged state will incur irreversible damage ( capacity / cycle loss )- Do not short circuit ( will release tremendous current )- Keep it away from fire.



Advantages:

for more products please visit us on enookbattery.com

- 1, High capacity
- 2, Excellent safety performance
- 3, Excellent storage performance and low self-discharge rate
- 4,Safe Performance
- 5, short circuit test passed
- 6,150C thermal shock test passed
- 7,1.2m drop test passes
- 8,Cycle life: 500 times
- 9, Charging temperature: 0 to 45 degree Celsius
- 10,Discharging temperature: -20 to 60 degree Celsius 11,Storage temperature: -20 to 45 degree Celsius
- 12,PCB/PCM and battery pack available
- 13,0ther sizes and capacities can be supplied

#### Support and Services:

#### 18650 Battery Technical Support and Service

We offer comprehensive technical support and service for our 18650 Batteries. Our team of knowledgeable professionals are available to answer your questions and provide you with the technical information you need. From installation and troubleshooting to product performance and maintenance, we are here to help.

#### **Company Introduction**

# **Company Introduction**

ShenZhen Enook Technology Co., Ltd company is professional manufacturer and supplier of lithium energy solutions, E-bike battery pack, which focus on manufacturing and designing of lithium cells and battery packs



Quality first is our principle,Satisfying all our customers is our tenet,win-win business is our aim.Dedicated to strict quality control and thoughtful customer service, our experienced staff members are always available to discuss each detailed requirements from customer and ensure full customer satisfaction.



In addition, we have obtained certificates. MSDS UN38.3 MSDS,ROHS,UL.ect. All our products keep selling wellnot only around China, but also inUSA, Philippines, Germany, England, Australia, Russia, France and other Europen and Asia countries



Fast delivery is one of our advantage, selecting a current products from catalogue, or customized products, 3<sup>-5</sup> 5 days is the normal time to prepare for the goods, OEM & ODM orders can be acceptable.

Quality is our life, price is our core competence, please don't hesitate to contact us if you have any requirement, we'll provide our best service to you.

Has passed CE certification and ROSH certification, excellent quality the company has obtained a number of patented technologies.



#### **Packing and Shipping:**

Packaging and Shipping

18650 batteries must be packaged with extreme care. Each battery must be individually wrapped in an insulated material designed to prevent shorts. The entire package must be placed in a static-resistant bag or box before being shipped. Batteries must never be shipped in bulk or loose without proper packaging.

Batteries should always be shipped via a tracked courier such as FedEx or UPS. The courier should be notified of the battery shipment and the package must be labeled as containing hazardous materials. The package should also be marked with the proper shipping class, such as Class 8, for lithium batteries.

# PACKAGING





PACKAGING











Professional suggestion to choose the best shipping delivery (Such as EMS DHL TNT UPS and FEDEX) for your commodities according to your demand.

#### FAQ:

Q1: When are you available? A1: 24 hours online every day Q3: How is the quality of the products? A3: 1 Always provide the premium authentic products, never fake 2.Only provide A Grade cells Q4: Do you provide the OEM&ODM service? A4: Yes, of course. We will try our best to meet our customers' requestment Q5: What's the lead time? A5: 1.Sample orders: 1-3 working days 2.Bulk orders: 3-7 working days according to different quantities 3.OEM: 7-12 working days on receipt of sample confirmation Q6: What's the shipping? A6: 1.We will choose the most safest and the most economical shipping way for you 2.Always 3-7 days from China to the destination country.Please note that some remote area may 1-3 days delay Q7: What's the payment? A7: T/T ,Western Union & Paypal Q8: What's the warranty of the products? A8: 1.12 Months warranty

| 2.Once any problem, please send us HD videos and pictures to show the problem you met, if it's our problem, we will send you new products or full refund except artificial damage           Kelly         Excose           Skype: kelly.enook08         ************************************ |   |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|
| Changsha Enook Technology Co., Ltd                                                                                                                                                                                                                                                           |   |
| +8617752866093 wendy@enooktech.com enookbattery.com ROOM 1717, JIEZUO BUILDING, NO. 828, SECTION 1, FURONG SOUTH ROAD, TIANXIN DISTRICT,                                                                                                                                                     | _ |