China ENOOK

5

T/T

Haiba-60V

USD100-200USD/PC

10-15 working days

5000PCS/Month

packed in professional carton

Black Type Rechargeable E Bike Battery 1200W 60V 20Ah Lithium Battery Customized

Basic Information

- Place of Origin:
- Brand Name:
- Model Number:
- Minimum Order Quantity:
- Price: Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:

100 100 100 100 100

Product Specification

- Nominal Voltage:
- Capacity:
- Application:
- Cycle Life:
- Highlight:

| 60V | |
|------|------|
| 20ah | 30ah |

- Electric Vehicles
- 1000times
 - E Bike Battery 1200W, Rechargeable E Bike Battery, 60V 20Ah Lithium Battery



More Images



Enook Haiba Black Type 60V 20Ah Lithium Rechargeable Battery With Customized For Electric bikel 1200w

| Nominal voltage | 60v | |
|----------------------------------|---|--|
| Nominal capacity | 20 30Ah | |
| Material | LiFePO4/18650 lithium battery | |
| Charging Time | 6-7H | |
| Charge Method | CC-CV (constant current and constant voltage) | |
| Recharge Cycle Life | Charge:0~45°C,45~85%RH Dis-charge:-20~60°C,45~85%RH | |
| Working Temperature | One month:-20~60°C,45~85%RH Three months:-20~45°C,45~85%RH One year:-20~25°C,45~85%RH | |
| Storage Temperature and Humidity | 23 ± 5°C | |
| Warranty | 12 mouths | |
| Size | customized with PCM | |
| Application field | Electric Bike, E-bike, e-scooter | |
| Cautions | Do not disassemble, short circuit of dispose of in fire | |





Features

| | 01 | Intelligent Battery Pack Design |
|--|----|---|
| | 02 | Environmental Friendly Chemistry, Pollution-free;non-polluting |
| | 03 | High Energy Density,High Power Density |
| | 04 | No fire, No explosion, No leakage |
| | 05 | Wholly closed dust-free workshops, securing high quality |
| | 06 | Excellent cycle life, chargeable up to 2000 times |

| Nominal voltage | 60v | |
|----------------------------------|---|--|
| Nominal capacity | 10Ah | |
| Material | LiFePO4/18650 lithium battery | |
| Charging Time | 6-7H | |
| Charge Method | CC-CV(constant current and constant voltage) | |
| Recharge Cycle Life | Charge:0~45°C,45~85%RH | |
| | Dis-charge:-20~60°C,45~85%RH | |
| Working Temperature | One month:-20~60°C,45~85%RH | |
| | Three months:-20~45°C,45~85%RH | |
| | One year:-20~25°C,45~85%RH | |
| Storage Temperature and Humidity | 23 ± 5°C | |
| Warranty | 12 mouths | |
| Size | Customized with PCM | |
| Application field | Electric Bike,E-bike, e-scooter | |
| Cautions | Do not disassemble, short circuit of dispose of in fire | |

→ We will different cells for different applications. A variety of specifications, a wide range of use, good robustness, reducing after-sales rate, Durable performance is more outstanding. Light weight, easy to charge, more burglar-proof, easy to carry upstairs







Company Introduction

ShenZhen Enook Technology Co., Ltd company is professional manufacturer and supplier of lithium energy solutions, E-bike battery pack, which focus on manufacturing and designing of lithium cells and battery packs





Quality first is our principle,Satisfying all our customers is our tenet,win-win business is our aim.Dedicated to strict quality control and thoughtful customer service, our experienced staff members are always available to discuss each detailed requirements from customer and ensure full customer satisfaction.



In addition, we have obtained certificates. MSDS UN38.3 MSDS,ROHS,UL.ect. All our products keep selling wellnot only around China, but also inUSA, Philippines, Germany, England, Australia, Russia, France and other Europen and Asia countries



Fast delivery is one of our advantage, selecting a current products from catalogue, or customized products, 3⁻⁵ 5 days is the normal time to prepare for the goods, OEM & ODM orders can be acceptable.

Quality is our life, price is our core competence, please don't hesitate to contact us if you have any requirement, we'll provide our best service to you.

Has passed CE certification and ROSH certification, excellent quality the company has obtained a number of patented technologies.

Changsha Enook Technology Co., Ltd

ROOM 1717,JIEZUO BUILDING, NO. 828, SECTION 1, FURONG SOUTH ROAD, TIANXIN DISTRICT, CHANGSHA, HUNAN