



## 5KW Lithium ion Golf Cart Battery Rechargeable 51.2V 200Ah LiFePo4 Battery

### Basic Information

- Place of Origin: Guangdong, China
- Brand Name: Enook
- Certification: CE, UN38.3, MSDS, Air Report, Sea Report
- Model Number: 51.2V 100Ah
- Minimum Order Quantity: 2
- Price: 1000USD~1400USD
- Packaging Details: packed in professional carton
- Delivery Time: 10-15 working days
- Payment Terms: T/T
- Supply Ability: 1000000 Piece/Pieces per Month



### Product Specification

- Model Number: Solar Energy Storage Battery
- Voltage: 51.2V
- Capacity: 100Ah
- Cycle Life: More Than 3000 Times
- Highlight: 5KW Lithium ion Golf Cart Battery, Rechargeable Lithium ion Golf Cart Battery, 51.2V 200Ah LiFePo4 Battery



### More Images




## Product Description


### Enook 51.2V 200Ah LiFePo4 Lithium Battery 5KW Rechargeable Batteries with customized for Golfcart battery pack

|                                  |                                                                        |
|----------------------------------|------------------------------------------------------------------------|
| Specifications                   | Enook 51.2V 200Ah 10KW Storge Battery                                  |
| Model                            | Enook                                                                  |
| Nominal Voltage                  | 51.2V                                                                  |
| Discharge Termination Voltage    | 43.2V                                                                  |
| Charging Voltage                 | 58.4V                                                                  |
| Minimum Capacity                 | 100Ah                                                                  |
| Maximum Charging Current         | 50A                                                                    |
| Discharge Overcurrent Protection | 60A                                                                    |
| Working Environment              | Charging temperature:0 ~55<br>Discharge temperature:-20 ~60            |
| Cycle Life                       | ≥3000 Cycles 80%<br>Normal temperature below 25                        |
| Internal resistance (mΩ)         | ≤20                                                                    |
| Size                             | Length: 567±2mm<br>width:710±2mm(excluding ears)<br>thickness: 258±2mm |
| Estimate Weight                  | 100kg                                                                  |
| Shipment status voltage          | 51.2V ~ 53V (50% Capacity)                                             |






## Intelligent lithium battery protection board



Overcharge protection



Short circuit protection



Sleep function



Over discharge protection



Overvoltage protection



temperature protection

# Wide range of applications and strong compatibility

Product use area



# multi-function control panel

Simple and easy to understand and easy to use



# Real stuff



Automotive Grade Cells



Pure copper flame  
retardant wire



Lithium battery charger,  
waterproof IP65



Low resistance  
connecting piece



Professional  
debugging software



High Precision BMS

## Products real shot



|                                                                                   |                                                                                   |                                                                                   |                                                                                    |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|
|  |  |  |  |
| Foot capacity                                                                     | Low self-discharge                                                                | A product battery                                                                 | Recycle                                                                            |
|  |  |  |  |
| Flat head /<br>pointed head optional                                              | Interface customization                                                           | Battery pack processing                                                           | Technical Support                                                                  |

## PACKAGING

Product  
Advantages



## Shipping by



**Professional suggestion to choose the best shipping delivery (Such as EMS DHL TNT UPS and FEDEX) for your commodities according to your demand.**


ShenZhen Enook Technology Co., Ltd company is professional manufacturer and supplier of lithium energy solutions, E-bike battery pack, which focus on manufacturing and designing of lithium cells and battery packs



Quality first is our principle, Satisfying all our customers is our tenet, win-win business is our aim. Dedicated to strict quality control and thoughtful customer service, our experienced staff members are always available to discuss each detailed requirements from customer and ensure full customer satisfaction.



In addition, we have obtained certificates. MSDS UN38.3 MSDS, ROHS, UL, etc. All our products keep selling well not only around China, but also in USA, Philippines, Germany, England, Australia, Russia, France and other European and Asia countries



Fast delivery is one of our advantage, selecting a current products from catalogue, or customized products, 3~5 days is the normal time to prepare for the goods, OEM & ODM orders can be acceptable.

Quality is our life, price is our core competence, please don't hesitate to contact us if you have any requirement, we'll provide our best service to you.

Has passed CE certification and ROHS certification, excellent quality the company has obtained a number of patented technologies.



**Changsha Enook Technology Co., Ltd**



+8617752866093



wendy@enooktech.com



enookbattery.com

ROOM 1717,JIEZUO BUILDING, NO. 828, SECTION 1, FURONG SOUTH ROAD, TIANXIN DISTRICT,  
CHANGSHA, HUNAN