




Enook 2S3P Li Ion Battery Pack 7.4 V 4000mah For E Bike And Electric Tools

Our Product Introduction

for more products please visit us on enookbattery.com


Basic Information

- Place of Origin: China
- Brand Name: ENOOK
- Certification: CE
- Model Number: YC-7.4v
- Minimum Order Quantity: 10
- Price: USD5-10USD/PC
- Packaging Details: packed in professional carton
- Delivery Time: 5 working days
- Payment Terms: T/T
- Supply Ability: 10000PCS/Month




Product Specification

- Voltage: 7.4V
- Battery Type: Li-ion Battery
- Capacity: 4400MAH
- Warranty: 2 Years
- Color: Blue
- Model: Li-Ion Battery Pack For Electric Bicycle
- Standard Charge Current: Constant Current 0.2C
- Cell: Lithium Ion Polymer Battery
- Battery Warranty: 1year
- Storage Temp: -5 ~35
- Standard Charging Ways: CC / CV
- Anode Material: Lithium Cobaltate
- Configuration: 3S2P
- Discharge Rate: 1C



More Images



Product Description

Enook 2S3P Li Ion Battery Pack 7.4 V 4000mah For E Bike And Electric Tools**Name:** Battery7.4V-4.4AH Li-ion Battery Pack**Case:** oem**Charger:** 7.4v**Application:** electric bike/bicycle/motorcycle/ebike
support customized service for you

NO. 序号	Item项目	Specifications规格要求
4.1	Nominal capacity 标称容量	7800mAh 0.5C Discharge (0.5C放电)
	Min capacity 最小容量	7750mAh 0.5C Discharge (0.5C放电)
4.2	Nominal voltage 标称电压	7.4V
4.3	Charge current 充电电流	Standard Charge (标准充电流): 0.5C
4.4	Standard Charging method 标准充电方法	0.5C CC (constant current) charge to 7.4V, then CV (constant voltage 7.4V) charge till charge current decline to $\leq 0.03C$ 0.5C CC (恒流) 充电至 7.4V, 再 CV (恒压 7.4V) 充电直至充电电流 $\leq 0.03C$
4.5	Charging time 充电时间	Standard Charging (标准充电) Approx 2 hours 大约 2 小时
4.6	Max. discharge current 最大放电电流	Constant current 1C end voltage 5.5V (持续电流: 1C 截止电压: 5.5V)
4.7	Standard Discharge Current 标准放电电流	Constant current 0.5C end voltage 5.5V (持续电流: 0.5C 截止电压: 5.5V)
4.8	Discharge cut-off voltage 放电截止电压	5.5V
4.9	Charge cut-off Voltage 充电截止电压	8.4V
4.10	Initial Impedance 初始内阻	$\leq 65m\Omega$
4.11	Weight 重量	Approx (约): 90g
4.12	Operating temperature 工作温度	Charging (充电): $0^{\circ}C \sim 45^{\circ}C$ Discharging (放电): $-20^{\circ}C \sim 60^{\circ}C$
4.13	Storage temperature 储存温度	$10^{\circ}C \sim 30^{\circ}C$
4.14	Storage Humidity 储存湿度	$\leq 70\% RH$
4.15	Appearance 外观	Without scratch, distortion, contamination and leakage (无划痕、变形、污迹、电解液泄露)
4.16	Standard environmental condition 标准环境	Temperature (温度): $23 \pm 5^{\circ}C$ Humidity (湿度): 45-70%RH Atmospheric Pressure (大气压): 86-106pa

Cautions:

1. Use special caution when working with Li-ion cells, they are very sensitive to charging characteristics and may explode if mis-handled.
2. Make sure user has enough knowledge on Li-Ion rechargeable batteries in charging, discharging and assembly before use.
3. We are not responsible for any damage caused by misuse or mishandling of these Li-Ion batteries.



Company Introduction

Company Introduction

ShenZhen Enook Technology Co., Ltd company is professional manufacturer and supplier of lithium energy solutions, E-bike battery pack, which focus on manufacturing and designing of lithium cells and battery packs




Quality first is our principle, Satisfying all our customers is our tenet, win-win business is our aim. Dedicated to strict quality control and thoughtful customer service, our experienced staff members are always available to discuss each detailed requirements from customer and ensure full customer satisfaction.





In addition, we have obtained certificates. MSDS UN38.3 MSDS,ROHS,UL.ect. All our products keep selling wellnot only around China, but also inUSA, Philippines, Germany, England, Australia, Russia, France and other European and Asia countries



Fast delivery is one of our advantage,selecting a current products from catalogue,or customized products,3~5days is the normal time to prepare for the goods,OEM & ODM orders can be acceptable.

Quality is our life, price is our core competence, please don't hesitate to contact us if you have any requirement, we'll provide our best service to you.

Has passed CE certification and ROHS certification, excellent quality the company has obtained a number of patented technologies.

PACKAGING



Shipping by



Professional suggestion to choose the best shipping delivery (Such as EMS DHL TNT UPS and FEDEX) for your commodities according to your demand.

FAQ:

Q1: When are you available?

A1: 24 hours online every day, messages will be replied once received.

Q2: What's your main products?

A2: Lithium battery, Li-po battery, LiFePO4 battery, battery packs, etc. For cylinder battery we have 18650, 18350, 18490, 18500, 16600, 26650, 22500, 22650, 26700, etc.

And chargers compatible with these batteries.

Q3: How is the quality of the products?

A3: 1. Always provide the premium authentic products, never fake.

2. Only provide A Grade cells

Q4: Do you provide the OEM&ODM service?

A4: Yes, we are experienced factory can provide OEM & ODM services.

Q5: How do we place an order?

A5: Step1. Contact us

Step2. Confirm products you need, the price and other details

Step3: We make PI(Proforma Invoice) for you to make payment

Step4: Payment finished

Step5: Payment checking by our accountant

Step5: Products packed and shipped (tracking number will be provided once shipped out)

Step6: Customer get the products and feedback

Q6: What's the lead time?

A6: 1. Sample orders: 1-3 working days

2. Bulk orders: 3-7 working days according to different quantities

3. OEM: 7-12 working days on receipt of sample confirmation



Changsha Enook Technology Co., Ltd



+8617752866093



wendy@enooktech.com



enookbattery.com

ROOM 1717,JIEZUO BUILDING, NO. 828, SECTION 1, FURONG SOUTH ROAD, TIANXIN DISTRICT,
CHANGSHA, HUNAN