36V 20Ah E Bike Lithium Battery Pack Silver Kettle Type Customized

Basic Information

Place of Origin: China
Brand Name: ENOOK
Certification: CE

Model Number: Sliver Kettle-36V

• Minimum Order Quantity: 5

• Price: USD100-200USD/PC

Packaging Details: packed in professional carton

• Delivery Time: 10-15 working days

Payment Terms: T/T

• Supply Ability: 5000PCS/Month



Product Specification

Type: Li-lonNominal Voltage: 36VCharge Current: 0.5c

Application: Electric Vehicles
 Cycle Life: 1000times
 Led Indicator: 4 LED Lights

Cell: Local Cell/Panasonic/Samsung

Yes

Battery Management

System:

• Case:

Sliver Fish

Cell Form: 18650 70PCS/21700 42PCS
 Dimensions: 13.4 X 3.9 X 3.5 Inches
 Motor: 250w/350w/500w

Warranty: 1 Year Compatibility: Universal



More Images



36V 20Ah E Bike Lithium Battery Pack Silver Kettle Type Customized

Product Description

We are a lithium battery manufacturer, so we can provide you with customized services; The capacity and dimension can customize according to your request:

- 1.Customized battery size and shell material
- 2.Customized BMS charging and discharging current
- 3.Customized connect plug and socket, connector wire
- 1. Using high-quality brand and Chinese Grade A cells
- 2. Protection system is all used original chip from Japan and The United States
- 3. Support OEM / ODM Service
- 4. Voltage/Capacity/Dimension could be customized

Application:

lithium E-bike battery for electric bike/mountain bike/motorcycle/bicycle

Battery Name	silver fish ebike battery lithium battery pack	
Nominal voltage	36V	
Nominal capacity	20Ah Can be customized	
Standard discharge current	0.2C	
Max discharge current	1C	
Standard charge current	0.2C	
Fast charge current	0.5C	
Over discharge cut off	2.4 ± 0.06V	
voltage/series		
Over charge protection	4.25± 0.03V	
voltage/series		
Discharge working temperature	-20-60°C	
Charge working temperature	0-45°C	
Recommended storage	23 ± 5°C	
temperature		
Weight	about 4.2Kg	

NO. 序号	Item项目		Specifications规格要求
4. 1	Nominal capacity	标称容量	10Ah 0.5C Discharge (0.5C放电)
	Min capacity	最小容量	10Ah 0.5C Discharge (0.5C放电)
4. 2	Nominalvoltage	标称电压	36V
4. 3	Charge current	充电电流	Standard Charge (标准充电流):0.5C
4. 4	Standard Charging method 方法	标准充电	0.5C CC (constant current) charge to 42V,then CV (constant voltage 42V)charge till charge current decline to≤0.03C 0.5C CC (恒流) 充电至42V,再CV (恒压42V) 5 电直至充电电流≤0.03C
4. 5	Charging time	充电时间	Standard Charging (标准充电) Approx2hours 大约2小时
4.6	Max. discharge current 电流	最大放电	Constant current1C end voltage: 8V(持续电流: 1C截止电压: 8)
4. 7	Standard Discharge Current标准放电电流		Constant current 0.5 C end voltage8V(持续 电流: 0.5C截止电压: 8V)
4.8	Discharge cut-off voltage 止电压	放电截	27. 5v
4. 9	Charge cut-off Voltage 电压	充电截止	42V
4. 10	Initial Impedance	初始内阻	≤25mΩ
4. 11	Weight	重量	Approx(45): 3000g
4. 12	Operating temperature	工作温度	Charging(充电): 0℃~45℃ Discharging(放电): -20℃~60℃
4. 13	Storage temperature	储存温度	10°C~30°C
4. 14	Storage Humidity	储存湿度	≤70% RH
4. 15	Appearance	外观	Without scratch, distortion, contamination and leakage (无划痕、变形、污迹、电解液泄 露)
4. 16	Standard environmental co 标准环境	ndition	Temperature (温度) : 23±5℃ Humidity (湿度) : 45-70%RH





Application

Our products have a very widely range of use



The battery pack can be used in electonic vehicles, tricycles, ebike, solar energy storage system, camper, cans, electronic boat, marine ship etc.,



E-Scooter



Balance E-scooter



E-Bike



E-Motorcycle



Golf Cart



RC Drone



Solar Street Ligth



SolarWind Energy



Mobile Headlight



Waterpump



Power Tools



Stereo Set



We use high quality cells , $\,$ such as 18650 21700 batteries, we use different cells for different applications



We have been in lithium battery pack for more than 10 years and know how to provide you the right solution for you. Just let us know your detail application and request then we will choose the best solution for you.

Company Introduction

Company Introduction

ShenZhen Enook Technology Co., Ltd company is professional manufacturer and supplier of lithium energy solutions, E-bike battery pack, which focus on manufacturing and designing of lithium cells and battery packs



Quality first is our principle, Satisfying all our customers is our tenet, win-win business is our aim. Dedicated to strict quality control and thoughtful customer service, our experienced staff members are always available to discuss each detailed requirements from customer and ensure full customer satisfaction.







In addition, we have obtained certificates. MSDS UN38.3 MSDS,ROHS,UL.ect. All our products keep selling wellnot only around China, but also inUSA, Philippines, Germany, England, Australia, Russia, France and other Europen and Asia countries





Fast delivery is one of our advantage, selecting a current products from catalogue, or customized products, 3~5 days is the normal time to prepare for the goods, OEM & ODM orders can be acceptable.

Quality is our life, price is our core competence, please don't hesitate to contact us if you have any requirement, we'll provide our best service to you.

Has passed CE certification and ROSH certification, excellent quality the company has obtained a number of patented technologies.

FAQ

Q1: When are you available?

A1: 24 hours online every day, messages will be replied once received.

Q2:What's your main products?

A2: Lithium battery, Li-po battery, LiFePO4 battery, battery packs, etc.

And chargers compatible with these batteries.

Q3: How is the quality of the products?

A3: 1. Always provide the premium authentic products, never fake.

2. Only provide A Grade cells

Q4: Do you provide the OEM&ODM service?

A4: Yes, we are experienced factory can provide OEM & ODM services.

Q5: How do we place an order?

A5: Step1. Contact us

Step2. Confirm products you need, the price and other details

Step3: We make PI(Proforma Invoice) for you to make payment

Step4: Payment finished

Step5: Payment checking by our accountant

Step5: Products packed and shipped (tracking number will be provided once shipped out)

Step6: Customer get the products and feedback

Q6: What's the lead time?

A6: 1. Sample orders: 3 working days

2. Bulk orders: 7 working days according to different quantities

3. OEM: 12 working days on receipt of sample confirmation



Changsha Enook Technology Co., Ltd



+8617752866093



wendy@enooktech.com



enookbattery.com

ROOM 1717, JIEZUO BUILDING, NO. 828, SECTION 1, FURONG SOUTH ROAD, TIANXIN DISTRICT, CHANGSHA, HUNAN